

CACHFIRES

FOCO TWO 800

BIO-30-104

Foco Two 800 is a stylish double-sided tunnel bioethanol fireplace designed for wall installation, allowing you to enjoy the flames from two opposite sides. This fireplace is perfect for partition walls or as a room divider between the living room and kitchen. Made from 4 mm powder-coated stainless steel with tempered glass, the Foco Two ensures a stable flame and timeless design, fitting seamlessly into modern homes. Choose from three different burners and customise the fireplace perfectly to your needs.

TECHNICAL SPECIFICATIONS

Type


| | |
|-----------------------------|---|
| Use | Indoor |
| Brand | Foco |
| Fuel | Bioethanol |
| Flue/chimney | Not Required |
| Producttype | See-through Built-in Bioethanol Fireplace |
| Recommended air change rate | 1 |
| Warranty | 2 years |

Size

| | |
|--------------|-------|
| Height | 50 cm |
| Weight | 21 kg |
| Depth | 40 cm |
| Length/Width | 80 cm |





Burner - Features

| | |
|----------------------|-----------------------|
| Flame length | 45 cm |
| Flame length | 50 cm |
| Minimum room size | 40 m ³ |
| Minimum room size | 60 m ³ |
| Requires electricity | Yes |
| Requires electricity | No |
| Burn time | 7 hours |
| Adjustable flame | Yes |
| Control | Remote Control |
| Control | Automatic |
| Control | Manual |
| Usage | 0.4 L/h |
| Usage | 0.46 L/h |
| Heat output (max) | 4.4 kW kW |
| Capacity | 1.9 Litres |
| Capacity | 3.5 Litres |
| Remote control | Yes (add-on) |
| Burner type | Planika PrimeFire 700 |
| Burner type | 3.5 Litre Superior |







Appearance

| | |
|-----------------|-------|
| Materials | Steel |
| Colour | Black |
| Steel thickness | 4 mm |
| Glas included | Yes |



PrimeFire



Automatic burner

