

CACHFIRES

FOCO FOUR 1000

BIO-30-117

Foco Four 1000 is a unique 4-sided bioethanol fireplace designed for built-in installation, allowing you to enjoy the flames from all sides. Ideal for installation under a plateau or a floating wall, such as one with a TV mounted above. With five different bioethanol burners to choose from, you can find exactly the one that suits your needs. The fireplace is made from 4 mm powder-coated stainless steel with tempered glass, which shields the flames from drafts and ensures a stable and beautiful fire.

TECHNICAL SPECIFICATIONS

Type

Brand	Foco
-------	------

Burner - Features

Usage	0.62 L/h
-------	----------

Size

Weight	30 kg
--------	-------

Burner - Features

Remote control	Yes (add-on)
----------------	--------------

Size

Depth	40 cm
-------	-------

Burner - Features

Requires electricity	No
Requires electricity	Yes

Size

Length/Width	100 cm
--------------	--------

Burner - Features

Adjustable flame	Yes
------------------	-----

Appearance

Steel thickness	4 mm
Materials	Steel
Colour	Black

Type



Producttype	4-sided built-in bioethanol fireplace
-------------	---------------------------------------

Appearance

Glas included	Yes
---------------	-----

Burner - Features

Control	Remote Control
---------	----------------

Control	Automatic
---------	-----------

Control	Manual
---------	--------

Type

Fuel	Bioethanol
------	------------

Flue/chimney	Not Required
--------------	--------------

Recommended air change rate	1
-----------------------------	---

Burner - Features

Burn time	6.5 hours
-----------	-----------

Minimum room size	80 m ³
-------------------	-------------------

Type

Warranty	2 years
----------	---------

Burner - Features

Burner type	4 Litre Superior
-------------	------------------

Type

Use	Indoor
-----	--------

Burner - Features

Flame length	60 cm
--------------	-------




Type

Flame view	44,1
------------	------




Burner - Features

Heat output (max)	4.4 kW kW
-------------------	-----------




FLA 3+ 790 mm




FLA 3 790 mm



Automatic Burner



Superior Manual



PrimeFire 700

